ITW Permatex Spray Nine Brands 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839 Emergency: 800-255-3924 (ChemTel) International Emergency: +01-813-248-0585 ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994 Urgence: 800-255-3924 (ChemTel)

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name:	Spray Nine® 32 fl.oz
Item No:	26832
Product Type:	Multi-Purpose Cleaner

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component:	Weight%	ACGIH; TLV-TWA	OSHA PEL
WATER	>80	Not listed	Not listed
7732-18-5			
ETHOXYLATED C9-C11 ALCOHOLS	1-5	Not listed	Not listed
68439-46-3			
DIPROPYLENE GLYCOL	1-5	Not listed	Not listed
MONONBUTYL ETHER			
29911-28-2			

3. HAZARDS IDENTIFICAT	TION		
Toxicity:	Product may cause reversible eye and skin irritation May irritate respiratory system upon frequent or prolonged use. Oral LD50 greater than 5000 mg/kg.		
Primary Routes of Entry:	Eye and skin contact, ingestion, inhalation		
Signs and Symptoms of Exposure:	Overexposure may cause eye and skin redness. May cause inflammation of mucous membranes and irritation. Ingestion may cause nausea and vomiting.		
Aggravated Medical Condition:	Preexisting eye, skin and respiratory disorders may be aggravated by overexposure to this product.		
WHMIS Hazard Class:	Non-controlled		
4. FIRST AID MEASURES			
Ingestion:	If swallowed, do not induce vomiting - seek medical advice. Never give anything by mouth to an unconscious person.		
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. If symptoms persist, call a physician.		
Skin Contact:	Wash off with soap and water. If skin irritation persists, call a physician.		
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.		
5. FIRE FIGHTING MEASU	RES		
Flash Point °F(C°):	182°F/83°C TCC		
Recommended Extinguishing Media			
Special Fire-Fighting Procedures:	Wear suitable protective equipment. Use water spray to cool exposed containers.		
Hazardous Products of Combustion			
Unusual Fire/Explosion Hazards:	Does not sustain combustion (ASTM D4206).		
Lower Explosive Limit:	Not determined		
Upper Explosive Limit:	Not determined		

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal. Clean up spills thoroughly as residue is slippery.

7. HANDLING AND STORAGE

Storage: Handling: Keep containers tightly closed in a cool, well-ventilated place. Store below 100°F. Do not allow freezing. Use in a well ventilated area. Avoid contact with skin and eyes. Wash thoroughly after handling. Product may cause surfaces to become slippery.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	Safety glasses.
Skin:	Neoprene or nitrile gloves recommended.
Ventilation:	Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Respiratory Protection:	Not required under normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Clear liquid
Citrus
~212°F (100°C)
~12.4
Soluble
1.02 g/ml
0
18 mm Hg
>1
<1 (butyl acetate=1)

10. STABILITY AND REACTIVITY

Chemical Stability: Hazardous Polymerization: Incompatabilities: Conditions to Avoid: Hazardous Products of Combustion: Stable Will not occur Strong oxidizers Freezing Oxides of carbon, Oxides of nitrogen

11. TOXICOLOGICAL INFORMATION

Oral LD50 (rat) >5,000 mg/kg Dermal LD50 (rabbit) >5,000 mg/kg Inhalation LD50 (rat) >200 g/L Eye irritation: Draize = 27.3 of 110 (reversible in 10 days) Skin irritation: Draize 2.5 of 10 (reversible in 14 days)

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal:Disposal should be made in accordance with federal, state and local regulationsUS EPA Waste Number:NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

U.S. Department of Transportation - DOT - 49 CFR (Ground)

Not regulated

None None

DOT Shipping Name:	Not regulated
Hazard Class:	None
UN/ID Number:	None
IATA (Air)	
Proper Shipping Name:	Not regulated
Class or Division:	None
UN/ID Number:	None

IMDG (Vessel) Proper Shipping Name: Hazard Class: UN Number: Marine Pollutant:

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

None

California Proposition 65: No California Prop 65 chemicals are known to be present.

None

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

 Estimated NFPA Rating:
 HEALTH 1, FLAMMABILITY 1, REACTIVITY 0.

 Estimated HMIS Classification:
 HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

 (NFPA is a registered trademark of the National Fire Protection Association)
 HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

Prepared By:	Denise Boyd, Manager-Environmental, Health & Safety	Revision Date: March 25, 2014
Company:	ITW Permatex 10 Columbus Blvd. Hartford, CT USA 06106	Revision Number: 3
Telephone No.:	1-87-Permatex (877) 376-2839	