

Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: 40206 SOL.22 BEARING GRN HV 250ML

MANUFACTURER

MRO Solutions L.L.C. 5645 West Howard Street Niles, IL 60714 Service Number: (847) 588-2480

24 HR. EMERGENCY TELEPHONE NUMBERS

MRO Solutions – For Chemical Emergency/Information: (847) 588-2480

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Irritation, Category 2 Eye Irritation, Category 2 Skin Sensitization, Category 1 Target Organ Toxicity - Single Exposure (Respiratory), Category 3

GHS LABEL ELEMENTS

Note: If this product is a consumer product it is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below on this SDS.



SIGNAL WORD: WARNING

HAZARD STATEMENTS

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

PRECAUTIONARY STATEMENT(S)

Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362: Take off contaminated clothing.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up.

Disposal:

P501: Dispose of in a manner consistent with federal, state, and local regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Trimethylolpropane trimethacrylate	25 - 60	3290-92-4
Acrylic acid	5 - 10	79-10-7
2,6-di-tert-butyl-p-cresol	< 5	128-37-0
Ethylene glycol	< 5	107-21-1
Cumene Hydroperoxide	0.8 - 0.9	80-15-9
Cumene	0.02 - 0.155	98-82-8
Acetic Acid	≤ 0.000183	64-19-7

4. FIRST AID MEASURES

EYES: Immediately flush eyes with large quantities of water for several minutes, while holding eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get medical attention if irritation or bonding occurs.

SKIN: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.

INGESTION: If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Causes eye irritation.

SKIN: Causes skin irritation. Allergic reactions are possible.

SKIN ABSORPTION: Remove contaminated clothing and wash affected areas with soap and water. Prolonged or repeated contact can cause dermatitis in sensitive individuals. Contact a physician if irritation persists.

INGESTION: Slight to very low toxicity.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

ACUTE EFFECTS: Irritating to skin. May cause allergic skin reaction with prolonged contact.



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

CHRONIC EFFECTS: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not Flammable

EXTINGUISHING MEDIA: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.

EXPLOSION HAZARDS: None known

FIRE FIGHTING PROCEDURES: Evacuate area and fight fire from a safe distance.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

FIRE EXPLOSION: None known

SENSITIVE TO STATIC DISCHARGE: None known

SENSITIVITY TO IMPACT: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and nitrogen.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb liquid and place in sealed container for disposal.

LARGE SPILL: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

LAND SPILL: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

AIR SPILL: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

GENERAL PROCEDURES: Polymerize with water. Increase ventilation to area. Solid material may be scraped from surface. **SPECIAL PROTECTIVE EQUIPMENT:** Use plastic/rubber gloves, chemical splash goggles or safety glasses with side shields.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Use with adequate ventilation. Avoid contact with eyes, skin and clothing.

HANDLING: Avoid contact with skin and eyes. Wash thoroughly after handling.

STORAGE: Store in a cool place in original container and protect from sunlight. Keep away from sources of ignition.

STORAGE TEMPERATURE: Suggested storage conditions: Less than 77F/25C. Protect from freezing.

LOADING TEMPERATURE: No data available

LOADING/UNLOADING VISCOSITY: No data available

STORAGE PRESSURE: No data available

SPECIAL SENSITIVITY: No data available

ELECTROSTATIC ACCUMULATION HAZARD: Prevent contamination of soil, drains and surface waters. Dike and contain



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
	EXPOSURE LIMITS			
Chemical Name	Туре		ppm	mg/m³
2,6-di-tert-butyl-p-cresol	ACGIH TLV	TWA		2
Ethylene glycol	ACGIH TLV	TWA	[1]	100 [1]
Cumene	OSHA PEL	TWA	50	245
	ACGIH TLV	TWA	50	246
	OSHA PEL	TWA	10	25
Acetic Acid	ACGIH TLV	TWA	10	25
		STEL	15	37
OSHA TABLE COMMENTS: 1. Aerosol only				

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

SKIN: Vinyl or rubber gloves.

RESPIRATORY: This material does not have established exposure limits. Wear a positive pressure air-supplied respirator in situations where there may be potential for airborne exposure.

PROTECTIVE CLOTHING: Not Applicable.

WORK HYGIENIC PRACTICES: Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Mild odor ODOR THRESHOLD: No data available APPEARANCE: Green liquid. COLOR: Green pH: No data available PERCENT VOLATILE: No data available FLASHPOINT AND METHOD: No data available AUTOIGNITION TEMPERATURE: No data available



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

VAPOR PRESSURE: No data available VAPOR DENSITY: No data available BOILING POINT: No data available FREEZING POINT: No data available MELTING POINT: No data available POUR POINT: No data available THERMAL DECOMPOSITION: No data available SOLUBILITY IN WATER: No data available EVAPORATION RATE: No data available DENSITY: No data available SPECIFIC GRAVITY: No data available VISCOSITY: No data available MOLECULAR WEIGHT: No data available

(VOC): No data available

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

HAZARDOUS POLYMERIZATION: Avoid temperatures exceeding 100F/38C and incompatible materials.

STABILITY: Stable

CONDITIONS TO AVOID: Avoid temperatures exceeding 100F/38C and incompatible materials.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous reactions are possible when exposed to incompatible materials such as nitrates, chlorine, ammonia, strong oxidizers, alkalis, and acids

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.

INCOMPATIBLE MATERIALS: Strong acids and alkalis, reactive metals and strong oxidizing agents.

COMMENTS: REACTIVITY: product may react if exposed to amines, inert gases, metallic salts, heat sources or oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Acrylic acid	830 mg/kg (mouse)	640 mg/kg (rabbit)	> 5100 mg/L (4 hr Vapor/Aerosol)
2,6-di-tert-butyl-p-cresol	890 mg/kg (rat)	> 2000 mg/kg (rat)	
Ethylene glycol	> 5000 mg/kg (rat)	10626 mg/kg (rabbit)	
Cumene	> 2000 mg/kg (rat)	10578 mg/kg (rabbit)	8000 ppm per 4 hr (rat)
Acetic Acid	6190 mg/kg		

SERIOUS EYE DAMAGE/IRRITATION: May cause eye irritation, skin irritation and irritation of respiratory tract.



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

RESPIRATORY OR SKIN SENSITISATION: May cause sensitization by skin contact.

CARCINOGENICITY

Chemical Name	IARC Status
Acrylic acid	3
2,6-di-tert-butyl-p-cresol	3

IARC: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

NTP: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

OSHA: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

STOT-SINGLE EXPOSURE: May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No known ecological affects of cured product.

ECOTOXICOLOGICAL INFORMATION: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

BIOACCUMULATION/ACCUMULATION: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

DISTRIBUTION: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

AQUATIC TOXICITY (ACUTE): Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

CHEMICAL FATE INFORMATION: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of following all Local Authority requirements for disposal.

14. TRANSPORT INFORMATION

PRODUCT DISPOSAL: Dispose of following all Local Authority requirements for disposal.

EMPTY CONTAINER: Dispose of following all Local Authority requirements for disposal.

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not restricted

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Not restricted

AIR (ICAO/IATA)

SHIPPING NAME: Not restricted

VESSEL (IMO/IMDG)



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

SHIPPING NAME: Not restricted CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not restricted

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

313 REPORTABLE INGREDIENTS: Section 313: Cumene hydroperoxide (CAS 80-15-9), less than 3%.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Contains Cumene hydroperoxide (CAS 80-15-9), less than 3%.

Chemical Name	Wt.%	CERCLA RQ
Acrylic acid	5 - 10	5,000
Cumene	0.02 - 0.155	5,000
Acetic Acid	≤ 0.000183	5,000

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Acrylic acid	79-10-7
2,6-di-tert-butyl-p-cresol	128-37-0
Ethylene glycol	107-21-1
Cumene Hydroperoxide	80-15-9
Cumene	98-82-8
Acetic Acid	64-19-7

TSCA STATUS: All components are listed on or are exempt from listing on the Toxic Substances Control Act.

CALIFORNIA PROPOSITION 65: WARNING: This product can expose you to chemicals including Cumene, which is known to the State of California to cause cancer, and Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <u>www.P65Warnings.ca.gov</u>.

Chemical Name	Wt.%	Listed
Ethylene glycol	< 5	Developmental Toxicity
Cumene	0.02 - 0.155	Cancer

16. OTHER INFORMATION

APPROVED BY: Regulatory Affairs Manager

PREPARED BY: Regulatory Affairs Manager Date-Revised: 09/20/2017

REVISION SUMMARY: This MSDS replaces the 01/30/2015 MSDS. Revised: Section 1: APPROVED BY, MSDS No,



Date Prepared : 02/24/2015 MSDS No : 11790485_PL34523 Date-Revised : 09/20/2017 Revision No : 1

PREPARED BY, TITLE. Section 2: . Section 3: Wt.%. Section 5: EXPLOSION HAZARDS, FIRE EXPLOSION, FIRE FIGHTING PROCEDURES, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO IMPACT. Section 6: GENERAL PROCEDURES, . Section 9: BOILING POINT, COEFF. OIL/WATER, FLASHPOINT AND METHOD, FREEZING POINT, MOLECULAR WEIGHT, PERCENT VOLATILE, pH, SOLUBILITY IN WATER, SPECIFIC GRAVITY, VAPOR DENSITY, VISCOSITY, VISCOSITY #1, (VOC), . Section 11: ACUTE, GERM CELL MUTAGENICITY, REPRODUCTIVE TOXICITY, SKIN CORROSION/IRRITATION. Section 13: EMPTY CONTAINER, PRODUCT DISPOSAL. Section 15: CALIFORNIA PROPOSITION 65, WHMIS CLASS.

NFPA CODES

1

2



HMIS RATINGS NOTES: Safety glasses and gloves are recommended for usage.

MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, MRO Solutions does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.