1 Identification of the substance and manufacturer		
Trade name:	FLUORESCENT ORANGE	
Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	0000161617Paint and coatings application.Any that differs from the recommended use.Seymour of Sycamore917 Crosby AvenueSycamore, IL 60178 USAphone: 815-895-9101www.seymourpaint.com1-800-255-3924	
2 Hazard(s) identification		
STOT SE 3 H335 May cause re	nmable aerosol. under pressure; may explode if heated.	
Signal wordDangerHazard statementsExtremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.		
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulation		

3 Composition/information on ingredients Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.			
	components:		
	propane		15-25%
	Mineral Spirits		10-15%
1317-65-3	Calcium Carbonate		10-15%
106-97-8	n-butane		10-15%
110-19-0	Isobutyl Acetate		5-10%
	Naphtha, heavy aromatic		1-5%
	VM&P Naphtha		1-5%
68410-97-9	Low boiling point naphtha		1-5%
	0 , ,		

4 First-aid measures			
After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.		
Most important symptoms and effects: Indication of any immediate medical attention needed:	Dizziness		
			_
5 Fire-fighting measures			
Extinguishing agents: Special hazards:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	(2)	 2)

(Contd. on page 2)

de name: FLUORESCENT ORANGE	
Protective equipment for	(Contd. of page
firefighters:	A respiratory protective device may be necessary.
Accidental release measures	
Personal precautions, protective	
equipment and emergency	
procedures:	Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Methods and material for	Use respiratory protective device against the effects of fumes/dustraciosol.
containment and cleaning up:	Ensure adequate ventilation.
Handling and storage	
Precautions for safe handling	Use only in well ventilated areas.
Storage requirements:	Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition
otorage requirements.	Store locked up.
Experience controls/personal pu	rotaction
Exposure controls/personal pr Components with limit values that	at require monitoring at the workplace:
74-98-6 propane	
PEL (USA) Long-term value: 1800 i	mg/m ³ , 1000 ppm
REL (USA) Long-term value: 1800 I	
TLV (USA) refer to Appendix F inTL	
106-97-8 n-butane	
REL (USA) Long-term value: 1900 I	ma/m ³ . 800 ppm
TLV (USA) Short-term value: 2370	
(EX)	
110-19-0 Isobutyl Acetate	
PEL (USA) Long-term value: 700 m	ng/m³, 150 ppm
REL (USA) Long-term value: 700 m	ng/m³, 150 ppm
TLV (USA) Short-term value: 712 m	ng/m³, 150 ppm
Long-term value: 238 m	ng/m³, 50 ppm
Hygienic protection:	Wash hands after use.
Breathing equipment:	Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas.
Breathing equipment.	cases where short and/or long term overexposure exists, a charcoal filter respirator should be wo
	If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
Hand protection:	
 	Nitrile gloves.
-	The glove material must be impermeable and resistant to the substance.
Eye protection:	
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles
Eye protection: Physical and chemical propert	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles
Eye protection: Physical and chemical propert Appearance: Odor:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic
-	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined. Undetermined.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. Undetermined44 °C (-111.2 °F)
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F)
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flammability (solid, gas):	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flammability (solid, gas):	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F)
Eye protection: Physical and chemical propert Appearance: Odor:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined. Undetermined. -44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. -44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol %
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol %
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles tiles Aerosol. Aromatic Not determined. Not determined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol % Not determined.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Not determined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol %
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. -44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00)
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. -44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined. -44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.
Eye protection: Physical and chemical propert Appearance: Odor: Odor threshold: pH-value: Melting point/Melting range Boiling point: Flash point: Flash point: Flammability (solid, gas): Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/wa	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles ties Aerosol. Aromatic Not determined. Undetermined44 °C (-111.2 °F) -19 °C (-66.2 °F) Extremely flammable. Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 0.5 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. atter: Not determined.

Safety Data Sheet

Printing date 01/10/2020

Revised On 01/10/2020

rade name: FLUORESCENT ORANGE	
Water:	12.9 % (Contd. of page 2)
10 Stability and reactivity Reactivity: Conditions to avoid: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.
11 Toxicological information LD/LC50 values that are relevant for 106-97-8 n-butane Inhalative LC50/4 h 658 mg/l (rat) 110-19-0 Isobutyl Acetate Oral LD50 4,763 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential:	
Mobility in soil: Other adverse effects: 13 Disposal considerations Dispose of in accordance with local, sta	No further relevant information available. No further relevant information available.
14 Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	UN1950 N/A UN1950 Consumer Commodity ORM-D Aerosols, flammable 1950 Aerosols 2.1 No Warning: Gases F-D,S-U UN1950, Aerosols, 2.1
15 Regulatory information SARA Section 355 (extremely hazard None of the ingredients in this product a SARA Section 313 (Specific toxic che None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances List (DSL): Consumer Product Safety Comission (CPSC):	are listed. emical listings): All hazardous ingredients are found on the inventory list of substances.

Revised On 01/10/2020

Trade name: FLUORESCEN	TORANGE	
		(Contd. of page 3)
California Proposition	65 chemicals known to cause cancer:	
100-41-4 ethyl benzene)	
Prop 65 chemicals kn	own to cause birth defects or reproductive harm:	
None of the ingredients	is listed.	
EPA:		
110-19-0 Isobutyl Acet	ate	D
16 Other information		
Contact:	Regulatory Affairs	