

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2015

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: Rubber Care Surface Cleaner		
Product code	: 155-8604		
1.2. Relevant identified uses of the	substance or mixture and uses advised aga	ainst	
Use of the substance/mixture	: Floor cleaning (liquids)		
1.3. Details of the supplier of the sa	ifety data sheet		
American Cleaning Solutions 39-30 Review Avenue Long Island City, NY 11101 T (718) 392-8080			
1.4. Emergency telephone number			
Emergency number	: INFOTRAC: 800-535-5053		
SECTION 2: Hazard(s) identificat	tion		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Not classified			
2.2. Label elements			
GHS-US labeling			
No labeling applicable			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS L	JS)		
Not applicable			
SECTION 3: Composition/inform	ation on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-propanol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
butyl glycolether	(CAS No) 111-76-2	1 - 5	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:gas), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Full text of H-phrases: see section 16			
SECTION 4: First aid measures			
4.1. Description of first aid measure	28		

4.1. Descr	iption of first aid measures			
First-aid measur	es general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek me advice (show the label where possible).	edical
First-aid measur	es after inhalation	:	Allow victim to breathe fresh air. Allow the victim to rest.	
First-aid measur	es after skin contact	:	Remove affected clothing and wash all exposed skin area with mild soap and water by warm water rinse.	, followed
First-aid measur	es after eye contact	:	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or r persist.	edness
First-aid measur	es after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
01/15/2016		I	EN (English US)	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2.	Most important symptoms and effects	s, both acute and delayed
Symptom	s/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3.	Indication of any immediate medical a	attention and special treatment needed
No additi	onal information available	
SECTIO	ON 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable e	extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitabl	e extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the subs	stance or mixture
No additi	onal information available	
5.3.	Advice for firefighters	
Firefightir	ng instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection	n during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTIO	ON 6: Accidental release measu	Ires
6.1.	Personal precautions, protective equi	pment and emergency procedures
6.1.1.	For non-emergency personnel	
Emergen	cy procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protective	e equipment	: Equip cleanup crew with proper protection.
Emergen	cy procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent e	entry to sewers and public waters. Notify a	authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containmen	t and cleaning up
Methods	for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4.	Reference to other sections	
See Hea	ding 8. Exposure controls and personal p	rotection.
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautic	ns for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2.	Conditions for safe storage, including	any incompatibilities
0		: Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.
Incompat		: Strong bases. Strong acids.
Incompat	ible materials	: Sources of ignition. Direct sunlight.
SECTIO	ON 8: Exposure controls/perso	nal protection

8.1. **Control parameters** 

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	400 ppm (2-propanol; USA; Short time value; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	50 ppm

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves/eye protection/face protection protective gloves.
1	
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Color	: pink
Odor	: Solvent
Odor threshold	: No data available
рН	: 6-7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 - 220 °F
Flash point	: ≥ 200 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: 1.2
Relative vapor density at 20 °C	: Same as water
Solubility	<ul> <li>Soluble in water.</li> <li>Water: Solubility in water of component(s) of the mixture :</li> <li>•: •: •:</li> </ul>
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2 Other information	

**9.2.** Other information No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions. Not established.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong a	acids. Strong bases.
10.6.	Hazardous decomposition products
Fume. (	Carbon monoxide. Carbon dioxide.
SECT	ION 11: Toxicological information
SECT	

#### Information on toxicological effects 11.1.

Acute toxicity

: Not classified

2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg body weight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust, mist)	73.000 mg/l/4h
butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450 - 486 ppm/4h 450-486,Rat
ATE US (dermal)	435.000 mg/kg body weight
ATE US (gases)	450.000 ppmV/4h
ATE US (vapors)	2.170 mg/l/4h
ATE US (dust, mist)	2.170 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 6 - 7
Serious eye damage/irritation	: Not classified
	pH: 6 - 7
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information	

SECTIO	ON 12: Ecological information
12.1.	Toxicity

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)	
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)

### 12.2. Persistence and degradability

Rubber Care Surface Cleaner	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.40 g O₂/g substance
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.20 g O₂/g substance
ThOD	2.305 g O₂/g substance
BOD (% of ThOD)	0.31

#### 12.3. Bioaccumulative potential

Rubber Care Surface Cleaner				
Bioaccumulative potential	Not established.			
2-propanol (67-63-0)				
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
butyl glycolether (111-76-2)				
Log Pow	0.81 (Experimental value; BASF test; 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
12.4. Mobility in soil				
2-propanol (67-63-0)				
Surface tension	0.021 N/m (25 °C)			
butyl glycolether (111-76-2)				
Surface tension	0.027 N/m (25 °C)			
12.5. Other adverse effects				
Effect on the global warming	No known ecological damage caused by this product.			
Other information	Avoid release to the environment.			

SECTION 13: Disposal considerations					
13.1.	Waste treatment methods				
Waste dis	sposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
Ecology - waste materials		: Avoid release to the environment.			

### **SECTION 14: Transport information**

### Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### TDG

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### **SECTION 15: Regulatory information**

15.1. US Federal regulations

#### 2-propanol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on United States SARA Section 313

#### butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

**CANADA** No additional information available

**EU-Regulations** No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

No additional information available

<b>SECTION 16: Other inform</b>	mation
Revision date	: 04/15/2015
Other information	: None.
Full text of H-phrases:	

Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H227	Combustible liquid
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H336	May cause drowsiness or dizziness

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves
SDS US (GHS HazCom 2012)	
01/15/2016	EN (English US) 6/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product